



Newaygo County Road Commission

935 EAST ONE MILE ROAD
WHITE CLOUD, MI 49349
Phone (231) 689-6682
Fax (231) 689-5994
www.newaygoroads.org

 Find Us On Facebook

NOTICE TO BIDDERS

The Board of County Road Commissioners of Newaygo County will receive sealed bids at their office at 935 East One Mile Road, White Cloud, MI 49349, until 8:00 a.m. on Wednesday, May 8, 2019, for the following:

- ❖ Asphalt Paving in various location within Newaygo County

Specifications and bid forms may be obtained at the Road Commission offices during regular business hours or by visiting our website at www.newaygoroads.org

All proposals must be submitted on Road Commission furnished bid forms. Said forms must be in sealed envelopes, plainly marked as to item bid and shall bear the name of the bidder.

The Newaygo County Road Commission hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprise will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of sex, race, color or national origin in consideration for an award.

The Board reserves the right to accept or reject any or all bids, to waive any irregularities in the bids and to make award in any manner they deem to be in the best interest of Newaygo County.

BOARD OF COUNTY ROAD COMMISSIONERS
OF
NEWAYGO COUNTY

Louis J. Meeuwenberg, Chairman
William Gonyon, Vice-Chairman
Douglas Harmon, Commissioner

SPECIFICATIONS FOR ASPHALT PAVING

It is the intent of the Newaygo County Road Commission to receive bids for Asphalt Paving.

A. Standard Specifications:

1. The Contractor shall comply with the intent of the General Requirements and Covenants, of the most current edition of the Michigan Department of Transportation's "Standard Specifications for Construction" where applicable.
2. Where the Standard Specifications are referred to, the Michigan Department of Transportation's most current edition to the Standard Specification for Construction shall be used.

B. Measurement and Payment:

Material will be measured in tons or in accordance with the methods specified in the most current edition of the Standard Specifications for Construction.

Payment for material shall include all labor and equipment needed for furnishing, hauling and placing.

C. Testing:

Random samples may be pulled from hopper for testing purposes.

D. Delivery:

1. By mutual agreement, the Newaygo County Road Commission reserves the right to extend contracts to other locations as well as MDOT maintenance projects, as long as contractor is in agreement. Furthermore, the Newaygo County Road Commission reserves the right to delete locations if deemed necessary and in the best interest of the Newaygo County Road Commission.
2. Scheduling will be coordinated by Kelly Smith, Manager.

E. Price:

F.O.B. job sites per ton and shall be inclusive of:

- a. Material
- b. Loading and hauling to job site
- c. Unloading of material
- d. Placing and rolling

F. Award:

Bid will be awarded by Township.

G. Payment:

The completed work as measured for HMA items will be paid for at the contract unit price for the applicable contract pay items and shall include all material, equipment and labor required to complete these items.

H. Cancellation of Contract Provisions:

The Board shall have the right to cancel the Contract for non-performance in not meeting aggregate specifications, contractual tonnage amount, delivery or insurance requirements.

I. Insurance Requirements:

1. Contractor shall save harmless and indemnify the Newaygo County Road Commission, as well as their employees, against all claims for damages to public or private property and for injuries to persons arising out of and during the progress and to the completion of work all in accordance with the 2003 Michigan Department of Transportation "Standard Specifications for Construction", section 107.10, with the following minimum requirements:

Workman's Compensation	Statutory Coverage
Bodily Injury and Property Damage Other Than Automobile:	
Each Occurrence	\$1,000,000
Aggregate	\$2,000,000
Bodily Injury Liability and Property Damage Liability Automobile:	
Bodily Injury Liability	\$500,000 Each Person, Each Occurrence \$1,000,000
Property Damage Liability	\$1,000,000 Each Occurrence
Combined Single Limit for Bodily Injury and Property Damage Liability	
Each Occurrence	\$2,000,000

Insurance Certificate declaring Newaygo County Road Commission as additional insured, not certificate holder, must be issued and shall become part of contract.

2. Contractor shall maintain current up-to-date insurance coverage during the term of the contract and failure to do so shall result in termination of said contract.
3. Certificate must be submitted within ten days upon notification of award of Contract.

J. Submission of bid will be construed as a conclusive presumption that the Contractor is thoroughly familiar with the bid requirements and specifications and that he/she understands and agrees to abide by each and all of the stipulations and requirements contained therein.

K. "The NCRC, in accordance with Title VI of the Civil Rights Act of 1964, 78 Stat. 252, 42 USC 2000d to 2000d-4 and Title 49, Code of Federal Regulations, Department of Federally-assisted programs of the Department of Transportation issued pursuant to such Act, hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of gender, disability, race, color, or national origin in consideration for an award."

During the performance of this contract, the contractor, for itself, its assignees and successors in interest (hereinafter referred to as the "contractor") agrees as follows:

1. **Compliance with Regulations:** The contractor shall comply with the Regulations relative to non-discrimination in Federally-assisted programs of the Department of Transportation, Title 49, code of Federal Regulations, Part 21 as they may be amended from time to time, (hereinafter referred to as the Regulations), which are herein incorporated by reference and made a part of this contract.
2. **Non-discrimination:** The contractor, with regard to the work performed by it during

the contract, shall not discriminate on the grounds of race, color, or national origin in the selection and retention of subcontractors, including procurements of materials and leases of equipment. The contractor shall not participate either directly or indirectly in the discrimination prohibited by section 21.5 of the Regulation, including employment practices when the contractor covers a program set forth in Appendix B of the Regulations.

3. **Solicitations for Subcontracts, Including Procurements of Materials and Equipment:** In all solicitations either by competitive bidding or negotiation made by the contractor for work to be performed under a subcontract, including procurements of materials or leases of equipment, each potential subcontractor or supplier shall be notified by the contractor of the contractor's obligations under this contract and the Regulations relative to non-discrimination on the grounds of race, color, or national origin.
4. **Information and Reports:** The contractor shall provide all information and reports required by the Regulations, or directives issued pursuant thereto, and shall permit access to its books, records, accounts, other sources of information and its facilities as may be determined by the Newaygo County Road Commission to be pertinent to ascertain compliance with such Regulations or directives. Where any information required of a contractor is in the exclusive possession of another who fails or refuses to furnish this information, the contractor shall so certify to the State highway department, or the Federal Highway Administration as appropriate, and shall set forth what efforts it has made to obtain the information.
5. **Sanctions for Non-compliance:** In the event of the contractor's non-compliance with the non-discrimination provisions of this contract, the Newaygo County Road Commission shall impose such contract sanctions as it or the Federal Highway Administration may determine to be appropriate, including, but not limited to:
 - (a) Withholding of payments to the contractor under the contract until the contractor complies, and/or
 - (b) Cancellation, termination or suspension of the contract, in whole or in part.
6. **Incorporation of Provisions:** The contractor shall include the provisions of paragraphs (1) through (6) in every subcontract, including procurement of materials and leases of equipment, unless exempt by the Regulations, or directives issued pursuant thereto. The contractor shall take such action with respect to any subcontract or procurement as the Newaygo County Road Commission may direct as a means of enforcing such provisions including sanctions for non-compliance: Provided, however, that, in the event a contractor becomes involved in, or is threatened with, litigation with a subcontractor or supplier as a result of such direction, the contractor may request the Newaygo County Road Commission to enter into such litigation to protect the interests of the County, and, in addition, the contractor may request the State highway department to enter into such litigation to protect the interests of the State and/or the United States to enter into such litigation to protect the interests of the United States.

TECHNICAL SPECIFICATIONS

A. Standard Specifications

1. This work shall be done in accordance with the requirements of the current edition of the Standard Specifications for Construction of the Michigan Department of Transportation and as herein specified.

2. Surface Mixture:

MDOT LVSP Mix, tier 1 per MDOT special provisions for recycled hot mix asphalt mixture. The performance grade asphalt binder range shall be PG 64-28.

HMA 5E1: The performance grade asphalt binder range shall be PG 64-28. The top course shall have AWI = 260 Minimum.

The top course shall have a minimum Asphalt Content of 6.1%.

The top course shall have maximum air voids of 3%.

The Bituminous Bond Coat material shall be SS-1h per Section 501.02. The uniform rate of application shall be 0.05 to 0.15 gallons per square yard. This is not a pay item.

3. All quantities are approximate – totals may vary.

4. Contractor is required to install temporary pavement marking tape unless otherwise stated in the bid form, provide minor traffic control devices, traffic control, apply tack coat as required, and Contractor is required to perform any brooming necessary.

5. When there is wedging or any type of overlaying to be done the contractor must have a broom on the job site at all times.

6. On all job sites to be paved there shall be all required traffic control signs until project is completed. Traffic regulators shall be dressed appropriately in accordance with MIOSHA. The contractor and employees of the contractor must perform their duties in a professional manner.

NOTE: Questions concerning specifications should be directed to Kelly Smith, Manager at (231) 689-6682.

BID FORM - ASPHALT PAVING

Due by: 8:00 a.m. on Wednesday, May 8, 2019

Submitted to: Newaygo County Road Commission
935 East One Mile Road
White Cloud, MI 49349

LOCATIONS -

BARTON TOWNSHIP

13 Mile Rd. from Beech Ave. to Pine Ave.

approx. 5.0 miles

Crush, shape, widen and pave

approx. 9000 tons

approx. 65,000 sq. yds. with an approx. thickness of 4 inches.

Grading and rolling provided by NCRC.

NCRC shall provide traffic control during pulverizing.

BROOKS TOWNSHIP

Oak Ave. between 48th St. and 56th St.

approx. 1.0 mile

Pave

approx. 1400 tons

Catalpa Ave. between 95th St. and the south township line

approx. 500 ft.

Pave

approx. 330 tons

SHERMAN TOWNSHIP

Gordon Ave. between 32nd St. and 40th St.

approx. 1.0 mile

Wedge

approx. 250 tons

Croswell Ave. between 40th St. and 48th St.

approx. 1.0 mile

Wedge and Overlay

approx. 1,550 tons

SURFACE MIXTURE: COST PER TON TOTAL CONTRACT

HMA, 5E1 Mix

tier 1 MDOT spec.

\$ _____ \$ _____

MDOT LVSP Mix

tier 1 MDOT spec.

\$ _____ \$ _____

Pulverizing

per square yard

\$ _____ \$ _____

HMA, 5E1 Mix

tier 1 MDOT spec.

\$ _____ \$ _____

MDOT LVSP Mix

tier 1 MDOT spec.

\$ _____ \$ _____

HMA, 5E1 Mix

tier 1 MDOT spec.

\$ _____ \$ _____

MDOT LVSP Mix

tier 1 MDOT spec.

\$ _____ \$ _____

HMA, 5E1 Mix

tier 1 MDOT spec.

\$ _____ \$ _____

MDOT LVSP Mix

tier 1 MDOT spec.

\$ _____ \$ _____

HMA, 5E1 Mix

tier 1 MDOT spec.

\$ _____ \$ _____

MDOT LVSP Mix

tier 1 MDOT spec.

\$ _____ \$ _____

ENSLEY TOWNSHIP

Elm Ave. between 136th St. and 22 Mile Rd.

approx. 1.0 mile
Wedge
approx. 100 tons

HMA, 5E1 Mix
tier 1 MDOT spec. \$ _____ \$ _____

MDOT LVSP Mix
tier 1 MDOT spec. \$ _____ \$ _____

22 Mile Rd. between Cypress Ave. and Juniper Ave.

approx. 1.9 miles
Wedge
approx. 500 tons

HMA, 5E1 Mix
tier 1 MDOT spec. \$ _____ \$ _____

MDOT LVSP Mix
tier 1 MDOT spec. \$ _____ \$ _____

Elm Ave. starting at 104th St. and going north

approx. 2,000 ft.
Wedge
approx. 150 tons

HMA, 5E1 Mix
tier 1 MDOT spec. \$ _____ \$ _____

MDOT LVSP Mix
tier 1 MDOT spec. \$ _____ \$ _____

Elm Ave. between 120th St. and 128th St.

approx. 1.0 mile
Wedge
approx. 150 tons

HMA, 5E1 Mix
tier 1 MDOT spec. \$ _____ \$ _____

MDOT LVSP Mix
tier 1 MDOT spec. \$ _____ \$ _____

136th St. between Elm Ave. and Cypress Ave.

approx. 1.0 mile
Wedge
approx. 200 tons

HMA, 5E1 Mix
tier 1 MDOT spec. \$ _____ \$ _____

MDOT LVSP Mix
tier 1 MDOT spec. \$ _____ \$ _____

112th St. between Elm Ave. and Cypress Ave.

approx. 1.0 mile
Wedge
approx. 200 tons

HMA, 5E1 Mix
tier 1 MDOT spec. \$ _____ \$ _____

MDOT LVSP Mix
tier 1 MDOT spec. \$ _____ \$ _____

Cottonwood Ave. between 112th St. and 120th St.

approx. 1.0 mile

Wedge

approx. 200 tons

HMA, 5E1 Mix
tier 1 MDOT spec. \$ _____ \$ _____

MDOT LVSP Mix
tier 1 MDOT spec. \$ _____ \$ _____

136th St. between Beech Ave. and Newcosta Ave.

approx. 1.0 mile

Wedge

approx. 250 tons

HMA, 5E1 Mix
tier 1 MDOT spec. \$ _____ \$ _____

MDOT LVSP Mix
tier 1 MDOT spec. \$ _____ \$ _____

Beech Ave. between 98th St. to 104th St.

approx. 0.75 mile

Wedge

approx. 250 tons

HMA, 5E1 Mix
tier 1 MDOT spec. \$ _____ \$ _____

MDOT LVSP Mix
tier 1 MDOT spec. \$ _____ \$ _____

Butternut Ave. between 120th St. and 136th St.

approx. 2.0 miles

Wedge

approx. 550 tons

HMA, 5E1 Mix
tier 1 MDOT spec. \$ _____ \$ _____

MDOT LVSP Mix
tier 1 MDOT spec. \$ _____ \$ _____

104th St. between Locust Ave. and west twp. line.

approx. 1.0 mile

overlay

approx. 1,300 tons

HMA, 5E1 Mix
tier 1 MDOT spec. \$ _____ \$ _____

MDOT LVSP Mix
tier 1 MDOT spec. \$ _____ \$ _____

GARFIELD TOWNSHIP

68th St. between Centerline Ave. and Gordon Ave.

approx. 1.0 mile

Overlay

approx. 1,300 tons

HMA, 5E1 Mix
tier 1 MDOT spec. \$ _____ \$ _____

MDOT LVSP Mix
tier 1 MDOT spec. \$ _____ \$ _____

Felch Ave. north of 96th St.

approx. 1,000 ft.
Pave
approx. 300 tons

HMA, 5E1 Mix
tier 1 MDOT spec. \$ _____ \$ _____

MDOT LVSP Mix
tier 1 MDOT spec. \$ _____ \$ _____

68th St. from Ferris Ave. to Gordon Ave.

approx. 1.0 mile
Overlay
approx. 1,300 tons

HMA, 5E1 Mix
tier 1 MDOT spec. \$ _____ \$ _____

MDOT LVSP Mix
tier 1 MDOT spec. \$ _____ \$ _____

68th St. between Baldwin Ave. and Bingham Ave.

approx. 1.0 mile
Pave
approx. 2,500 tons

HMA, 5E1 Mix
tier 1 MDOT spec. \$ _____ \$ _____

MDOT LVSP Mix
tier 1 MDOT spec. \$ _____ \$ _____

CROTON TOWNSHIP

Cole Dr. - Section 5

approx. 2,600 ft.
Pave
approx. 1,200 tons

HMA, 5E1 Mix
tier 1 MDOT spec. \$ _____ \$ _____

MDOT LVSP Mix
tier 1 MDOT spec. \$ _____ \$ _____

EVERETT TOWNSHIP

24th St. between Walnut Ave. and Spruce Ave.

approx. 1.0 mile
Pave
approx. 2,000 tons

HMA, 5E1 Mix
tier 1 MDOT spec. \$ _____ \$ _____

MDOT LVSP Mix
tier 1 MDOT spec. \$ _____ \$ _____

SHERIDAN TOWNSHIP

60th St. between Dickinson Ave. and Maple Island

approx. 1.0 mile
Wedge and Overlay
approx. 1,800 tons

HMA, 5E1 Mix
tier 1 MDOT spec. \$ _____ \$ _____

MDOT LVSP Mix
tier 1 MDOT spec. \$ _____ \$ _____

80th St. between Green Ave. and Stone

approx. 1.0 mile
Wedge and Overlay
approx. 1,800 tons

HMA, 5E1 Mix
tier 1 MDOT spec. \$ _____ \$ _____

MDOT LVSP Mix
tier 1 MDOT spec. \$ _____ \$ _____

ASHLAND TOWNSHIP

116th St. west of Wisner Ave. (even up both lanes)

approx. 1,000 ft.
Overlay
approx. 150 tons

HMA, 5E1 Mix
tier 1 MDOT spec. \$ _____ \$ _____

MDOT LVSP Mix
tier 1 MDOT spec. \$ _____ \$ _____

136th St. starting at Wisner Ave. and going east

approx. 1,650 ft.
Overlay
approx. 400 tons

HMA, 5E1 Mix
tier 1 MDOT spec. \$ _____ \$ _____

MDOT LVSP Mix
tier 1 MDOT spec. \$ _____ \$ _____

136th St. starting at McClelland Ave. and going west for approx. 1,000 ft.

Overlay
approx. 250 tons

HMA, 5E1 Mix
tier 1 MDOT spec. \$ _____ \$ _____

MDOT LVSP Mix
tier 1 MDOT spec. \$ _____ \$ _____

BIG PRAIRIE TOWNSHIP

Cottonwood Ave. & 28th St. north of 32nd St. to the park entrance, approx. 4,300 ft.

Crush, shape and pave
approx. 1,350 tons

HMA, 5E1 Mix
tier 1 MDOT spec. \$ _____ \$ _____

MDOT LVSP Mix
tier 1 MDOT spec. \$ _____ \$ _____

approx. 13,350 sq. yds. with an approx. thickness of 2 1/2 inches.

Grading and rolling provided by NCRC.
NCRC shall provide traffic control during pulverizing.

Pulverizing
per square yard \$ _____ \$ _____

COMPANY: _____

SIGNED: _____

ADDRESS: _____

TELEPHONE: _____

FAX: _____

EMAIL: _____

DATE: _____